
Serat abrasif

LS 309 XH



Karakteristik

Agen pengikat (bonding)	Resin
Jenis butiran	Korundum
Tipe coating	tertutup (tebal)
Backing	Kapas X

Aplikasi

Kayu	●
Logam universal	●
Logam NE	●
Cat/pernis/dempul	◑

Penggunaan produk

Hand-held belt sander tipe khusus - Dapat digunakan secara universal pada kayu, logam, cat, dan pernis - Belt tersedia dalam jumlah banyak untuk semua mesin yang umum

Area penggunaan

- Konstruksi logam
- Industri pengolahan kayu

Butiran yang tersedia:

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000 2500 3000

Lebar x panjang dalam mm	Butiran	Bentuk koneksi	Tipe SaU	Satuan kemasan/unit.	Kode produk
60 x 400	60	F5 direkatkan secara overlap	LS 309 XH	10	4100
60 x 400	80	F5 direkatkan secara overlap	LS 309 XH	10	4104
60 x 400	120	F5 direkatkan secara overlap	LS 309 XH	10	4097
65 x 410	40	F5 direkatkan secara overlap	LS 309 XH	10	4106
65 x 410	60	F5 direkatkan secara overlap	LS 309 XH	10	4114
65 x 410	80	F5 direkatkan secara overlap	LS 309 XH	10	4120

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de

Lebar x panjang dalam mm	Butiran	Bentuk koneksi	Tipe SaU	Satuan kemasan/unit.	Kode produk
65 x 410	100	F5 direkatkan secara overlap	LS 309 XH	10	4124
65 x 410	120	F5 direkatkan secara overlap	LS 309 XH	10	4128
75 x 457	40	F5 direkatkan secara overlap	LS 309 XH	10	37269
75 x 457	60	F5 direkatkan secara overlap	LS 309 XH	10	38825
75 x 457	80	F5 direkatkan secara overlap	LS 309 XH	10	40345
75 x 457	100	F5 direkatkan secara overlap	LS 309 XH	10	41560
75 x 457	120	F5 direkatkan secara overlap	LS 309 XH	10	42627
75 x 457	150	F5 direkatkan secara overlap	LS 309 XH	10	43020
75 x 480	40	F5 direkatkan secara overlap	LS 309 XH	10	4098
75 x 480	60	F5 direkatkan secara overlap	LS 309 XH	10	4107
75 x 480	80	F5 direkatkan secara overlap	LS 309 XH	10	4115
75 x 480	100	F5 direkatkan secara overlap	LS 309 XH	10	4121
75 x 480	120	F5 direkatkan secara overlap	LS 309 XH	10	4125
75 x 508	40	F5 direkatkan secara overlap	LS 309 XH	10	4099
75 x 508	60	F5 direkatkan secara overlap	LS 309 XH	10	4103
75 x 508	80	F5 direkatkan secara overlap	LS 309 XH	10	4117
75 x 508	100	F5 direkatkan secara overlap	LS 309 XH	10	4118
75 x 533	40	F5 direkatkan secara overlap	LS 309 XH	10	4137
75 x 533	60	F5 direkatkan secara overlap	LS 309 XH	10	4139
75 x 533	80	F5 direkatkan secara overlap	LS 309 XH	10	4140
75 x 533	100	F5 direkatkan secara overlap	LS 309 XH	10	4141
75 x 533	120	F5 direkatkan secara overlap	LS 309 XH	10	4142
75 x 533	150	F5 direkatkan secara overlap	LS 309 XH	10	4143
75 x 533	180	F5 direkatkan secara overlap	LS 309 XH	10	4144
75 x 533	240	F5 direkatkan secara overlap	LS 309 XH	10	43614
75 x 610	40	F5 direkatkan secara overlap	LS 309 XH	10	37285
75 x 610	60	F5 direkatkan secara overlap	LS 309 XH	10	38842
75 x 610	80	F5 direkatkan secara overlap	LS 309 XH	10	40365
75 x 610	100	F5 direkatkan secara overlap	LS 309 XH	10	41576
75 x 610	120	F5 direkatkan secara overlap	LS 309 XH	10	42642
100 x 560	40	F5 direkatkan secara overlap	LS 309 XH	10	4151
100 x 560	60	F5 direkatkan secara overlap	LS 309 XH	10	4473
100 x 560	80	F5 direkatkan secara overlap	LS 309 XH	10	4474
100 x 560	100	F5 direkatkan secara overlap	LS 309 XH	10	4475
100 x 560	120	F5 direkatkan secara overlap	LS 309 XH	10	4476
100 x 560	150	F5 direkatkan secara overlap	LS 309 XH	10	4477
100 x 610	40	F5 direkatkan secara overlap	LS 309 XH	10	4478
100 x 610	60	F5 direkatkan secara overlap	LS 309 XH	10	4480

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de

Lebar x panjang dalam mm	Butiran	Bentuk koneksi	Tipe SaU	Satuan kemasan/unit.	Kode produk
100 x 610	80	F5 direkatkan secara overlap	LS 309 XH	10	4481
100 x 610	100	F5 direkatkan secara overlap	LS 309 XH	10	4482
100 x 610	120	F5 direkatkan secara overlap	LS 309 XH	10	4483
100 x 610	150	F5 direkatkan secara overlap	LS 309 XH	10	4484
100 x 610	180	F5 direkatkan secara overlap	LS 309 XH	10	43302
100 x 620	40	F5 direkatkan secara overlap	LS 309 XH	10	6272
100 x 620	60	F5 direkatkan secara overlap	LS 309 XH	10	6278
100 x 620	80	F5 direkatkan secara overlap	LS 309 XH	10	6283
100 x 620	100	F5 direkatkan secara overlap	LS 309 XH	10	6284
100 x 620	120	F5 direkatkan secara overlap	LS 309 XH	10	6286
100 x 620	150	F5 direkatkan secara overlap	LS 309 XH	10	6288
105 x 620	40	F5 direkatkan secara overlap	LS 309 XH	10	4485
105 x 620	60	F5 direkatkan secara overlap	LS 309 XH	10	4487
105 x 620	80	F5 direkatkan secara overlap	LS 309 XH	10	4489
105 x 620	100	F5 direkatkan secara overlap	LS 309 XH	10	4490
105 x 620	120	F5 direkatkan secara overlap	LS 309 XH	10	4491
105 x 620	150	F5 direkatkan secara overlap	LS 309 XH	10	4492
110 x 620	40	F5 direkatkan secara overlap	LS 309 XH	10	6290
110 x 620	60	F5 direkatkan secara overlap	LS 309 XH	10	6292
110 x 620	80	F5 direkatkan secara overlap	LS 309 XH	10	6294
110 x 620	100	F5 direkatkan secara overlap	LS 309 XH	10	6295
110 x 620	120	F5 direkatkan secara overlap	LS 309 XH	10	6296

Klingspor Schleifsysteme GmbH und Co. KG
Hüttenstraße 36 - 35708 Haiger - Germany
Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186
sales@klingspor.de - www.klingspor.de